


# Parts list

## BASIC-LINE / TUBE-SERIES

### Cable carrier UNIFLEX / UNIFLEX TUBES 0555

| Stay type UNIFLEX              | page |
|--------------------------------|------|
| 0555.030 .....                 | 2    |
| 0555.035 .....                 | 4    |
| 0555.040 .....                 | 6    |
| 0555.045 .....                 | 8    |
| <b>Stay type UNIFLEX TUBES</b> |      |
| 0555.050 .....                 | 10   |
| 0555.055 .....                 | 11   |
| 0555.060 .....                 | 12   |
| <b>Brackets</b>                |      |
| Brackets 0555 .....            | 13   |

**0555.030**


| Item           | Materialtext [remarks] | KR<br>063 | KR<br>080 | KR<br>100 | KR<br>125 | KR<br>160 | KR<br>200 | KR<br>230 |
|----------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 <sup>1</sup> | CC 0555.030.050        | 50980     | 50981     | 50982     | 50983     | 50984     | 50985     | 50986     |
|                | CC 0555.030.075        | 50990     | 50991     | 50992     | 50993     | 50994     | 50995     | 50996     |
|                | CC 0555.030.100        | 51060     | 51061     | 51062     | 51063     | 51064     | 51065     | 51066     |
|                | CC 0555.030.125        | 51100     | 51101     | 51102     | 51103     | 51104     | 51105     | 51106     |
|                | CC 0555.030.150        | 51110     | 51111     | 51112     | 51113     | 51114     | 51115     | 51116     |


| Item           | Materialtext [remarks]                                                                                                                          | Mat.-No. |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 2              | Stay 0555.050                                                                                                                                   | 52512    |
|                | Stay 0555.075                                                                                                                                   | 52513    |
|                | Stay 0555.100                                                                                                                                   | 52514    |
|                | Stay 0555.125                                                                                                                                   | 52515    |
|                | Stay 0555.150                                                                                                                                   | 52516    |
| 3              | Divider 0555.030/040 [TS0 – without height separation, TS1 – continuous height separation with connecting profile (item5) or V-profile (item6)] | 52564    |
| 4              | Divider 0555.030/040 Zwischenboden [TS3 – partial height separation with partition (item7)]                                                     | 52565    |
| 5 <sup>2</sup> | Connecting profile 10,8 x 4 0321 link [aluminum, for continuous height separation, L = Bi – 1mm]                                                | 5803     |
| 6 <sup>3</sup> | V-profile ME 0320.037 L = 48mm [für Bi50]                                                                                                       | 58270    |
|                | V-profile ME 0320.061 L = 72mm [für Bi75]                                                                                                       | 71353    |
|                | V-profile ME 0320.085 L = 96mm [für Bi100]                                                                                                      | 71358    |
|                | V-profile ME 0320.113 L = 124mm [für Bi125]                                                                                                     | 71363    |
|                | V-profile ME 0320.137 L = 148mm [für Bi150]                                                                                                     | 71368    |

<sup>1</sup> 1 piece cable carrier consists of 18 chain links with stays = 1000mm

<sup>2</sup> Length of blank 3m


<sup>3</sup> L = Bi – 1mm

## 0555.030



| Item | Partition 0455/0555 [partial height separation with divider (item4)] |           |           |           |           |           |
|------|----------------------------------------------------------------------|-----------|-----------|-----------|-----------|-----------|
| 7    | <b>center-to-center <math>a_x</math></b>                             | <b>15</b> | <b>20</b> | <b>25</b> | <b>30</b> | <b>35</b> |
|      | Mat.-no.                                                             | 52570     | 52571     | 52572     | 52573     | 52574     |
|      | <b>center-to-center <math>a_x</math></b>                             | <b>40</b> | <b>45</b> | <b>55</b> | <b>65</b> | <b>75</b> |
|      | Mat.-no.                                                             | 52575     | 52576     | 52577     | 52578     | 52579     |

Back to: [content](#)


**0555.035**


| Item           | Materialtext [remarks] | KR<br>063 | KR<br>080 | KR<br>100 | KR<br>125 | KR<br>160 | KR<br>200 | KR<br>230 |
|----------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 <sup>1</sup> | CC 0555.030.050        | 50980     | 50981     | 50982     | 50983     | 50984     | 50985     | 50986     |
|                | CC 0555.030.075        | 50990     | 50991     | 50992     | 50993     | 50994     | 50995     | 50996     |
|                | CC 0555.030.100        | 51060     | 51061     | 51062     | 51063     | 51064     | 51065     | 51066     |
|                | CC 0555.030.125        | 51100     | 51101     | 51102     | 51103     | 51104     | 51105     | 51106     |
|                | CC 0555.030.150        | 51110     | 51111     | 51112     | 51113     | 51114     | 51115     | 51116     |

| Item           | Materialtext [remarks]                                                                                                                          | Mat.-No. |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 2              | Stay 0555.050 V-Clip                                                                                                                            | 52630    |
|                | Stay 0555.075 V-Clip                                                                                                                            | 52631    |
|                | Stay 0555.100 V-Clip                                                                                                                            | 52632    |
|                | Stay 0555.125 V-Clip                                                                                                                            | 52639    |
|                | Stay 0555.150 V-Clip                                                                                                                            | 52640    |
| 3              | Locking clip 0555 [for locking the stays (item2)]                                                                                               | 52633    |
| 4              | Divider 0555.030/040 [TS0 – without height separation, TS1 – continuous height separation with connecting profile (item6) or V-profile (item7)] | 52564    |
| 5              | Divider 0555.030/040 Zwischenboden [TS3 – partial height separation with partition (item8)]                                                     | 52565    |
| 6 <sup>2</sup> | Connecting profile 10,8 x 4 0321 link [aluminum, for continuous height separation, L = Bi – 1mm]                                                | 5803     |

<sup>1</sup> 1 piece cable carrier consists of 18 chain links with stays = 1000mm


<sup>2</sup> Length of blank 3m

**0555.035**


| Item           | Materialtext [remarks]                      | Mat.-No. |
|----------------|---------------------------------------------|----------|
| 7 <sup>1</sup> | V-profile ME 0320.037 L = 48mm [für Bi50]   | 58270    |
|                | V-profile ME 0320.061 L = 72mm [für Bi75]   | 71353    |
|                | V-profile ME 0320.085 L = 96mm [für Bi100]  | 71358    |
|                | V-profile ME 0320.113 L = 124mm [für Bi125] | 71363    |
|                | V-profile ME 0320.137 L = 148mm [für Bi150] | 71368    |

| Item | Partition 0455/0555 [partial height separation with divider (item5)] |       |       |       |       |       |
|------|----------------------------------------------------------------------|-------|-------|-------|-------|-------|
| 8    | center-to-center a <sub>x</sub>                                      | 15    | 20    | 25    | 30    | 35    |
|      | Mat.-no.                                                             | 52570 | 52571 | 52572 | 52573 | 52574 |
|      | center-to-center a <sub>x</sub>                                      | 40    | 45    | 55    | 65    | 75    |
|      | Mat.-no.                                                             | 52575 | 52576 | 52577 | 52578 | 52579 |

 Back to: [content](#)
<sup>1</sup> L = Bi – 1mm

**0555.040**


| Item           | Materialtext [remarks] | KR<br>063 | KR<br>080 | KR<br>100 | KR<br>125 | KR<br>160 | KR<br>200 | KR<br>230 |
|----------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 <sup>1</sup> | CC 0555.040.050        | 51000     | 51001     | 51002     | 51003     | 51004     | 51005     | 51006     |
|                | CC 0555.040.075        | 51010     | 51011     | 51012     | 51013     | 51014     | 51015     | 51016     |
|                | CC 0555.040.100        | 51070     | 51071     | 51072     | 51073     | 51074     | 51075     | 51076     |
|                | CC 0555.040.125        | 51120     | 51121     | 51122     | 51123     | 51124     | 51125     | 51126     |
|                | CC 0555.040.150        | 51130     | 51131     | 51132     | 51133     | 51134     | 51135     | 51136     |


| Item           | Materialtext [remarks]                                                                                                                          | Mat.-No. |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 2              | Stay 0555.050                                                                                                                                   | 52512    |
|                | Stay 0555.075                                                                                                                                   | 52513    |
|                | Stay 0555.100                                                                                                                                   | 52514    |
|                | Stay 0555.125                                                                                                                                   | 52515    |
|                | Stay 0555.150                                                                                                                                   | 52516    |
| 3              | Divider 0555.030/040 [TS0 – without height separation, TS1 – continuous height separation with connecting profile (item5) or V-profile (item6)] | 52564    |
| 4              | Divider 0555.030/040 Zwischenboden [TS3 – partial height separation with partition (item7)]                                                     | 52565    |
| 5 <sup>2</sup> | Connecting profile 10,8 x 4 0321 link [aluminum, for continuous height separation, L = Bi – 1mm]                                                | 5803     |
| 6 <sup>3</sup> | V-profile ME 0320.037 L = 48mm [für Bi50]                                                                                                       | 58270    |
|                | V-profile ME 0320.061 L = 72mm [für Bi75]                                                                                                       | 71353    |
|                | V-profile ME 0320.085 L = 96mm [für Bi100]                                                                                                      | 71358    |
|                | V-profile ME 0320.113 L = 124mm [für Bi125]                                                                                                     | 71363    |
|                | V-profile ME 0320.137 L = 148mm [für Bi150]                                                                                                     | 71368    |

<sup>1</sup> 1 piece cable carrier consists of 18 chain links with stays = 1000mm

<sup>2</sup> Length of blank 3m


<sup>3</sup> L = Bi – 1mm

# 0555.040



| Item | Partition 0455/0555 [partial height separation with divider (item4)] |           |           |           |           |           |
|------|----------------------------------------------------------------------|-----------|-----------|-----------|-----------|-----------|
| 6    | <b>center-to-center <math>a_x</math></b>                             | <b>15</b> | <b>20</b> | <b>25</b> | <b>30</b> | <b>35</b> |
|      | Mat.-no.                                                             | 52570     | 52571     | 52572     | 52573     | 52574     |
|      | <b>center-to-center <math>a_x</math></b>                             | <b>40</b> | <b>45</b> | <b>55</b> | <b>65</b> | <b>75</b> |
|      | Mat.-no.                                                             | 52575     | 52576     | 52577     | 52578     | 52579     |

Back to: [content](#)

**0555.045**


| Item           | Materialtext [remarks] | KR<br>063 | KR<br>080 | KR<br>100 | KR<br>125 | KR<br>160 | KR<br>200 | KR<br>230 |
|----------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 <sup>1</sup> | CC 0555.040.050        | 51000     | 51001     | 51002     | 51003     | 51004     | 51005     | 51006     |
|                | CC 0555.040.075        | 51010     | 51011     | 51012     | 51013     | 51014     | 51015     | 51016     |
|                | CC 0555.040.100        | 51070     | 51071     | 51072     | 51073     | 51074     | 51075     | 51076     |
|                | CC 0555.040.125        | 51120     | 51121     | 51122     | 51123     | 51124     | 51125     | 51126     |
|                | CC 0555.040.150        | 51130     | 51131     | 51132     | 51133     | 51134     | 51135     | 51136     |


| Item           | Materialtext [remarks]                                                                                                                          | Mat.-No. |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 2              | Stay 0555.050 V-Clip                                                                                                                            | 52630    |
|                | Stay 0555.075 V-Clip                                                                                                                            | 52631    |
|                | Stay 0555.100 V-Clip                                                                                                                            | 52632    |
|                | Stay 0555.125 V-Clip                                                                                                                            | 52639    |
|                | Stay 0555.150 V-Clip                                                                                                                            | 52640    |
| 3              | Locking clip 0555 [for locking the stays (item2)]                                                                                               | 52633    |
| 4              | Divider 0555.030/040 [TS0 – without height separation, TS1 – continuous height separation with connecting profile (item6) or V-profile (item7)] | 52564    |
| 5              | Divider 0555.030/040 Zwischenboden [TS3 – partial height separation with partition (item8)]                                                     | 52565    |
| 6 <sup>2</sup> | Connecting profile 10,8 x 4 0321 link [aluminum, for continuous height separation, L = Bi – 1mm]                                                | 5803     |

<sup>1</sup> 1 piece cable carrier consists of 18 chain links with stays = 1000mm

<sup>2</sup> Length of blank 3m



# 0555.045




| Item           | Materialtext [remarks]                      | Mat.-No. |
|----------------|---------------------------------------------|----------|
| 7 <sup>1</sup> | V-profile ME 0320.037 L = 48mm [für Bi50]   | 58270    |
|                | V-profile ME 0320.061 L = 72mm [für Bi75]   | 71353    |
|                | V-profile ME 0320.085 L = 96mm [für Bi100]  | 71358    |
|                | V-profile ME 0320.113 L = 124mm [für Bi125] | 71363    |
|                | V-profile ME 0320.137 L = 148mm [für Bi150] | 71368    |

| Item | Partition 0455/0555 [partial height separation with divider (item5)] |       |       |       |       |       |
|------|----------------------------------------------------------------------|-------|-------|-------|-------|-------|
| 8    | center-to-center a <sub>x</sub>                                      | 15    | 20    | 25    | 30    | 35    |
|      | Mat.-no.                                                             | 52570 | 52571 | 52572 | 52573 | 52574 |
|      | center-to-center a <sub>x</sub>                                      | 40    | 45    | 55    | 65    | 75    |
|      | Mat.-no.                                                             | 52575 | 52576 | 52577 | 52578 | 52579 |

Back to: [content](#)

<sup>1</sup> L = Bi – 1mm

**0555.050**



| Item           | Materialtext [remarks] | KR<br>063 | KR<br>080 | KR<br>100 | KR<br>125 | KR<br>160 | KR<br>200 | KR<br>230 |
|----------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 <sup>1</sup> | CC 0555.050.050        | 51020     | 51021     | 51022     | 51023     | 51024     | 51025     | 51026     |
|                | CC 0555.050.075        | 51030     | 51031     | 51032     | 51033     | 51034     | 51035     | 51036     |
|                | CC 0555.050.100        | 51080     | 51081     | 51082     | 51083     | 51084     | 51085     | 51086     |
|                | CC 0555.050.125        | 51140     | 51141     | 51142     | 51143     | 51144     | 51145     | 51146     |
|                | CC 0555.050.150        | 51150     | 51151     | 51152     | 51153     | 51154     | 51155     | 51156     |

| Item           | Materialtext [remarks]                                 | Mat.-No. |
|----------------|--------------------------------------------------------|----------|
| 2              | Stay 0555.050                                          | 52512    |
|                | Stay 0555.075                                          | 52513    |
|                | Stay 0555.100                                          | 52514    |
|                | Stay 0555.125                                          | 52515    |
|                | Stay 0555.150                                          | 52516    |
| 3 <sup>2</sup> | Divider 0555.050/060 [TS0 – without height separation] | 52566    |

 Back to: **content**
<sup>1</sup> 1 piece cable carrier consists of 18 chain links with stays = 1000mm

<sup>2</sup> For the application of the divider the bottom nose has to break at the notch.

# 0555.055




| Item           | Materialtext [remarks] | KR<br>063 | KR<br>080 | KR<br>100 | KR<br>125 | KR<br>160 | KR<br>200 | KR<br>230 |
|----------------|------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| 1 <sup>1</sup> | CC 0555.050.050        | 51020     | 51021     | 51022     | 51023     | 51024     | 51025     | 51026     |
|                | CC 0555.050.075        | 51030     | 51031     | 51032     | 51033     | 51034     | 51035     | 51036     |
|                | CC 0555.050.100        | 51080     | 51081     | 51082     | 51083     | 51084     | 51085     | 51086     |
|                | CC 0555.050.125        | 51140     | 51141     | 51142     | 51143     | 51144     | 51145     | 51146     |
|                | CC 0555.050.150        | 51150     | 51151     | 51152     | 51153     | 51154     | 51155     | 51156     |

| Item           | Materialtext [remarks]                                 | Mat.-No. |
|----------------|--------------------------------------------------------|----------|
| 2              | Stay 0555.050 V-Clip                                   | 52630    |
|                | Stay 0555.075 V-Clip                                   | 52631    |
|                | Stay 0555.100 V-Clip                                   | 52632    |
|                | Stay 0555.125 V-Clip                                   | 52639    |
|                | Stay 0555.150 V-Clip                                   | 52640    |
| 3              | Locking clip 0555 [for locking the stays (item2)]      | 52633    |
| 4 <sup>2</sup> | Divider 0555.050/060 [TS0 – without height separation] | 52566    |

Back to: [content](#)

<sup>1</sup> 1 piece cable carrier consists of 18 chain links with stays = 1000mm

<sup>2</sup> For the application of the divider the bottom nose has to break at the notch.

**0555.060**



| Item           | Materialtext [remarks] | KR 100 | KR 125 | KR 160 | KR 200 | KR 230 |
|----------------|------------------------|--------|--------|--------|--------|--------|
| 1 <sup>1</sup> | CC 0555.060.050        | 51042  | 51043  | 51044  | 51045  | 51046  |
|                | CC 0555.060.075        | 51052  | 51053  | 51054  | 51055  | 51056  |
|                | CC 0555.060.100        | 51092  | 51093  | 51094  | 51095  | 51096  |
|                | CC 0555.060.125        | 51162  | 51163  | 51164  | 51165  | 51166  |
|                | CC 0555.060.150        | 51172  | 51173  | 51174  | 51175  | 51176  |

| Item           | Materialtext [remarks]                                 | Mat.-No. |
|----------------|--------------------------------------------------------|----------|
| 2              | Cover inside 0555.050                                  | 52542    |
|                | Cover inside 0555.075                                  | 52543    |
|                | Cover inside 0555.100                                  | 52544    |
|                | Cover inside 0555.125                                  | 52545    |
|                | Cover inside 0555.150                                  | 52546    |
| 3 <sup>2</sup> | Divider 0555.050/060 [TS0 – without height separation] | 52566    |

 Back to: [content](#)
<sup>1</sup> 1 piece cable carrier consists of 18 chain links with covers = 1000mm

<sup>2</sup> For the application of the divider the bottom nose has to break at the notch.

## Brackets 0555



| Item | Materialtext [remarks]                                                         | Mat.-No. |
|------|--------------------------------------------------------------------------------|----------|
| 1    | Bracket 0555.050 without bolt [moving point]                                   | 52440    |
|      | Bracket 0555.075 without bolt [moving point]                                   | 52442    |
|      | Bracket 0555.100 without bolt [moving point]                                   | 52444    |
|      | Bracket 0555.125 without bolt [moving point]                                   | 52446    |
|      | Bracket 0555.150 without bolt [moving point]                                   | 52448    |
| 2    | Bracket 0555.050 with bolt [fixed point]                                       | 52441    |
|      | Bracket 0555.075 with bolt [fixed point]                                       | 52443    |
|      | Bracket 0555.100 with bolt [fixed point]                                       | 52445    |
|      | Bracket 0555.125 with bolt [fixed point]                                       | 52447    |
|      | Bracket 0555.150 with bolt [fixed point]                                       | 52449    |
| 3    | Strain relief 0555/1555.050                                                    | 53684    |
|      | Strain relief 0555/1555.075                                                    | 53685    |
|      | Strain relief 0555/1555.100                                                    | 53686    |
|      | Strain relief 0555/1555.125                                                    | 53687    |
|      | Strain relief 0555/1555.150                                                    | 53688    |
| 4    | Bracket 0555 left with bolt black [fixed point, steel]                         | 52604    |
| 5    | Bracket 0555 right with bolt black [fixed point, steel]                        | 52605    |
| 6    | Bracket 0555 left without bolt black [moving point, steel]                     | 52606    |
| 7    | Bracket 0555 right without bolt black [moving point, steel]                    | 52607    |
| 8    | Pan head screw M8 x 10 5.8 [only for additional screw connection of the parts] | 20923    |

Back to: [content](#)

## NO CABLE CARRIER WITHOUT TRAXLINE CABLE.



### TRAXLINE

- ultraflexible cables for cable carriers
- Pre-assembled cables



More Information about Traxline at:

**Traxline.de**

### More Informationen about TSUBAKI KABELSCHLEPP:

- Cable carrier systems
- TRAXLINE
- Conveyor systems
- Guideway protection-systems

At: **kabelschlepp.de**

### TSUBAKI KABELSCHLEPP GmbH

Daimlerstraße 2  
D-57482 Wenden-Gerlingen  
Fon: +49 (0)2762 4003-0  
Fax: +49 (0)2762 4003-220  
E-Mail: [info@kabelschlepp.de](mailto:info@kabelschlepp.de)

**TSUBAKI KABELSCHLEPP**  
contacts & addresses:

