



PVBS32-SPOOL-C6/P6/P6/C6-CV

11081827 🗹

Model Code: SVSSPOL0I06060606FPSPSFBB5PP4X00LLTP551000CS0

Where to buy ☑

Product specifications

Characteristic	Value	Description
Spool Interface	01	PVB32 LS Shuttle
A->T Flow Rate	06	6
P-> A Flow Rate	06	6
P-> B Flow Rate	06	6
B->T Flow Rate	06	6
A->T Control Type	F	Flow
P->A Control Type	Р	Pressure
Pressure Control P->A	S	Special
P->B Control Type	Р	Pressure
Pressure Control P->B	S	Special
B->T Control Type	F	Flow
A->T Function in Neutral	В	Blocked (Closed)
B->T Function in Neutral	В	Blocked (Closed)
Spool Deadband	5	1.5
Spool Characteristic A	Р	Progressive
Spool Characteristic B	Р	Progressive
Pilot Pressure Neutral	4	4.0 bar
Pilot Pressure Full Stroke	Χ	5.5 bar
Nominal Diameter	S	Standard
Minimum Float Position	0	N/A
Float Direction	0	N/A



Characteristic	Value	Description
Nominel Max Position A	L	7.2
Nominel Max Position B	L	7.2
Spool Option A	Т	Tensionbar
Spool Option B	Р	Plug
Product Category	1	Standard Part
Primer	0	N/A
Marking	0	N/A
Ex Application	0	N/A
Certification	CS	ISO13849 Compliant
Spool Data	0	N/A
Marking	0	N/A
Spool Deadband		1.5

General specifications

Characteristic	Value
Proposition 65	Cancer and Reproductive Harm

For the most current information and other product assets, please use this link to visit the product page on Danfoss PowerSource 🗵