



LS RELIEF VALVES

LS Relief Valve / Main Relief Valve




Symbol




Weight

0,05 kgs / 0,11 lbs

Marine Type LS Relief Valve / Main Relief Valve




Symbol




Weight

0,05 kgs / 0,11 lbs

LS Relief Valve Cavity Plug / Main Relief Valve Cavity Plug



Symbol




Weight

0,04 kgs / 0,08 lbs

ORDER CODE	DESCRIPTION	ORDER CODE	DESCRIPTION	ORDER CODE	DESCRIPTION	ORDER CODE	DESCRIPTION
120LRV6030	30 bar / 435 psi	120LRV6130	130 bar / 1885 psi	120LRV6230	230 bar / 3335 psi	120LRV6330	330 bar / 4785 psi
120LRV6040	40 bar / 580 psi	120LRV6140	140 bar / 2030 psi	120LRV6240	240 bar / 3480 psi	120LRV6340	340 bar / 4930 psi
120LRV6050	50 bar / 725 psi	120LRV6150	150 bar / 2175 psi	120LRV6250	250 bar / 3625 psi	120LRV6350	350 bar / 5075 psi
120LRV6060	60 bar / 870 psi	120LRV6160	160 bar / 2320 psi	120LRV6260	260 bar / 3770 psi	120LRV6360	360 bar / 5220 psi
120LRV6070	70 bar / 1015 psi	120LRV6170	170 bar / 2465 psi	120LRV6270	270 bar / 3915 psi	120LRV6370	370 bar / 5365 psi
120LRV6080	80 bar / 1160 psi	120LRV6180	180 bar / 2610 psi	120LRV6280	280 bar / 4060 psi	120LRV6380	380 bar / 5510 psi
120LRV6090	90 bar / 1305 psi	120LRV6190	190 bar / 2755 psi	120LRV6290	290 bar / 4205 psi	120LRV-P6002	Cavity Plug
120LRV6100	100 bar / 1450 psi	120LRV6200	200 bar / 2900 psi	120LRV6300	300 bar / 4350 psi		
120LRV6110	110 bar / 1595 psi	120LRV6210	210 bar / 3045 psi	120LRV6310	310 bar / 4495 psi		
120LRV6120	120 bar / 1740 psi	120LRV6220	220 bar / 3190 psi	120LRV6320	320 bar / 4640 psi		



Marine type LS relief valves are coded with «M».
Example coding for 100 bar pressure setting 120MLRV6100.

Curves




SHOCK VALVES

Antishock & Anticavitation Valve




Symbol




Weight

0,05 kgs / 0,11 lbs


Relief Valve Function




Anticavitation Function



Anticavitation Valve




Symbol




Weight

0,05 kgs / 0,11 lbs

Shock Valve Cavity Plug



Symbol



Weight

0,04 kgs / 0,08 lbs

ORDER CODE	DESCRIPTION	ORDER CODE	DESCRIPTION	ORDER CODE	DESCRIPTION	ORDER CODE	DESCRIPTION
120ASV6030	30 bar / 435 psi	120ASV6130	130 bar / 1885 psi	120ASV6230	230 bar / 3335 psi	120ASV6330	330 bar / 4785 psi
120ASV6040	40 bar / 580 psi	120ASV6140	140 bar / 2030 psi	120ASV6240	240 bar / 3480 psi	120ASV6340	340 bar / 4930 psi
120ASV6050	50 bar / 725 psi	120ASV6150	150 bar / 2175 psi	120ASV6250	250 bar / 3625 psi	120ASV6350	350 bar / 5075 psi
120ASV6060	60 bar / 870 psi	120ASV6160	160 bar / 2320 psi	120ASV6260	260 bar / 3770 psi	120ASV6360	360 bar / 5220 psi
120ASV6070	70 bar / 1015 psi	120ASV6170	170 bar / 2465 psi	120ASV6270	270 bar / 3915 psi	120ASV6370	370 bar / 5365 psi
120ASV6080	80 bar / 1160 psi	120ASV6180	180 bar / 2610 psi	120ASV6280	280 bar / 4060 psi	120ASV6380	380 bar / 5510 psi
120ASV6090	90 bar / 1305 psi	120ASV6190	190 bar / 2755 psi	120ASV6290	290 bar / 4205 psi	120SV6003	Anticavitation Valve
120ASV6100	100 bar / 1450 psi	120ASV6200	200 bar / 2900 psi	120ASV6300	300 bar / 4350 psi	120ASV-P6001	Cavity Plug
120ASV6110	110 bar / 1595 psi	120ASV6210	210 bar / 3045 psi	120ASV6310	310 bar / 4495 psi		
120ASV6120	120 bar / 1740 psi	120ASV6220	220 bar / 3190 psi	120ASV6320	320 bar / 4640 psi		