


Parts list

BASIC-LINE

Cable carrier UNIFLEX Advanced 1455

Stay type	page
1455.020	2
1455.030	3
1455.040	5
Brackets	
Brackets 1455	7
Brackets 1455 made of steel	9
Accessories	
Quick opening tool 1455	10


1455.020


Item	Materialtext [remarks]	KR 052	KR 065	KR 095	KR 125	KR 150	KR 180	KR 200
1 ¹	CC 1455.020.025	53800	53801	53802	53803	53804	53805	53806
	CC 1455.020.038	53808	53809	53810	53811	53812	53813	53814
	CC 1455.020.058	53816	53817	53818	53819	53820	53821	53822
	CC 1455.020.078	53824	53825	53826	53827	53828	53829	53830
	CC 1455.020.103	53832	53833	53834	53835	53836	53837	53838

Item	Materialtext [remarks]	Mat.-No.
2	Outside damper 1455 right	53978
3	Outside damper 1455 left	53979
4	Glide shoe PL 1455 habr [high abrasion resistant, for left and right, KRmin = 65mm]	72243
5	Divider 1455 movable [TS0 – without height separation]	53980
6	Divider 1455 fixable [TS0 – without height separation , fixable at every 2,5mm step]	53981
7	Divider 1455 TS3 [height separation with plastic-partitions (item8)]	53982

Item	Partitions 0455 / 0555 [for height separation with divider (item7)]					
8	center-to-center a _x	15	20	25	30	35
	Mat.-No.	52570	52571	52572	52573	52574
	center-to-center a _x	40	45	55	65	75
	Mat.-No.	52575	52576	52577	52578	52579

 Back to: [content](#)
¹ 1 piece cable carrier consists of 22 links and stays = 1001mm


1455.030


Item	Materialtext [remarks]	KR 052	KR 065	KR 095	KR 125	KR 150	KR 180	KR 200
1 ¹	CC 1455.030.025	53850	53851	53852	53853	53854	53855	53856
	CC 1455.030.038	53858	53859	53860	53861	53862	53863	53864
	CC 1455.030.058	53866	53867	53868	53869	53870	53871	53872
	CC 1455.030.078	53874	53875	53876	53877	53878	53879	53880
	CC 1455.030.103	53882	53883	53884	53885	53886	53887	53888

Item	Materialtext [remarks]	Mat.-No.
2	Stay 1455.025	53950
	Stay 1455.038	53951
	Stay 1455.058	53952
	Stay 1455.078	53953
	Stay 1455.103	53954
3	Outside damper 1455 right	53978
4	Outside damper 1455 left	53979
5	Glide shoe PL 1455 habr [high abrasion resistant, for left and right, KRmin = 65mm]	72243

Item	Materialtext [remarks]	Mat.-No.
6	Divider 1455 movable [TS0 – without height separation, TS1 – continuous height separation with flat profile (item9)]	53980
7	Divider 1455 fixable [TS0 – without height separation, TS1 – continuous height separation with flat profile (item9), fixable at every 2,5mm step]	53981
8	Divider 1455 TS3 [height separation with plastic-partitions (item10)]	53982


¹ 1 piece cable carrier consists of 22 links and stays = 1001mm

1455.030


Item	Materialtext [remarks]	Mat.-No.
9 ¹	Flat profile 2,1 x 9,1 [aluminum, for height separation with divider (item6), L = Bi – 1mm]	6240

Item	Partitions 0455 / 0555 [for height separation with divider (item8)]					
10	center-to-center a_x	15	20	25	30	35
	Mat.-No.	52570	52571	52572	52573	52574
	center-to-center a_x	40	45	55	65	75
	Mat.-No.	52575	52576	52577	52578	52579

 Back to: [content](#)
¹ Length of blank 3m

1455.040


Item	Materialtext [remarks]	KR 052	KR 065	KR 095	KR 125	KR 150	KR 180	KR 200
1 ¹	CC 1455.040.025	53900	53901	53902	53903	53904	53905	53906
	CC 1455.040.038	53908	53909	53910	53911	53912	53913	53914
	CC 1455.040.058	53916	53917	53918	53919	53920	53921	53922
	CC 1455.040.078	53924	53925	53926	53927	53928	53929	53930
	CC 1455.040.103	53932	53933	53934	53935	53936	53937	53938


Item	Materialtext [remarks]	Mat.-No.
2	Stay 1455.025	53950
	Stay 1455.038	53951
	Stay 1455.058	53952
	Stay 1455.078	53953
	Stay 1455.103	53954
3	Outside damper 1455 right	53978
4	Outside damper 1455 left	53979

Item	Materialtext [remarks]	Mat.-No.
5	Divider 1455 movable [TS0 – without height separation, TS1 – continuous height separation with flat profile (item8)]	53980
6	Divider 1455 fixable [TS0 – without height separation, TS1 – continuous height separation with flat profile (item8), fixable at every 2.5mm step]	53981
7	Divider 1455 TS3 [height separation with plastic-partitions (item9)]	53982
8 ²	Flat profile 2,1 x 9,1 [aluminum, for height separation with divider (item5+6), L = Bi – 1mm]	6240

¹ 1 piece cable carrier consists of 22 links and stays = 1001mm

² Length of blank 3m


1455.040



Item	Partitions 0455/0555 [for height separation with divider (item7)]					
9	center-to-center a_x	15	20	25	30	35
	Mat.-No.	52570	52571	52572	52573	52574
	center-to-center a_x	40	45	55	65	75
	Mat.-No.	52575	52576	52577	52578	52579


Back to: [content](#)

Brackets 1455



Item	Materialtext [remarks]	Mat.-No.
1	Bracket UMB 1455 Mitnehmer ri	53962
2	Bracket UMB 1455 Mitnehmer le	53963
3	Bracket UMB 1455 Festpunkt ri	53964
4	Bracket UMB 1455 Festpunkt le	53965
5	Stay 1455.025	53950
	Stay 1455.038	53951
	Stay 1455.058	53952
	Stay 1455.078	53953
	Stay 1455.103	53954
6	Strain relief 1455.025 UMB	53956
	Strain relief 1455.038 UMB	53957
	Strain relief 1455.058 UMB	53958
	Strain relief 1455.078 UMB	53959
	Strain relief 1455.103 UMB	53960
7	Bracket 1455.025 moving point [with integrated strain relief]	53966
	Bracket 1455.038 moving point	53968
	Bracket 1455.058 moving point	53970
	Bracket 1455.078 moving point	53972
	Bracket 1455.103 moving point	53974
8	Bracket 1455.025 fixed point [with integrated strain relief]	53967 ¹
	Bracket 1455.038 fixed point	53969
	Bracket 1455.058 fixed point	53971
	Bracket 1455.078 fixed point	53973
	Bracket 1455.103 fixed point	53975

Brackets 1455




Item	Materialtext [remarks]	Mat.-No.
9	Strain relief 0455/1455.025	_1
	Strain relief 0455/1455.038	53983
	Strain relief 0455/1455.058	53984
	Strain relief 0455/1455.078	53985
	Strain relief 0455/1455.130	53986

Back to: [content](#)

¹ Strain relief integrated at chain link


Brackets 1455 made of steel



Item	Materialtext [remarks]	Mat.-No.
1	Bracket UMB 1455 driver l/r steel	54003
2	Bracket UMB 1455 fixed point l/r steel	54005
3	Strain relief 1455.025 UMB	53956
	Strain relief 1455.038 UMB	53957
	Strain relief 1455.058 UMB	53958
	Strain relief 1455.078 UMB	53959
	Strain relief 1455.103 UMB	53960

Back to: [content](#)

Quick opening tool 1455



Item	Materialtext [remarks]	Mat.-No.
1	Quick opening tool 1455	16096

Back to: [content](#)

NO CABLE CARRIER WITHOUT TRAXLINE CABLE.



TRAXLINE

- ultraflexible cables for cable carriers
- Pre-assembled cables



More Information about Traxline at:

Traxline.de

More Informationen about TSUBAKI KABELSCHLEPP:

- Cable carrier systems
- TRAXLINE
- Conveyor systems
- Guideway protection-systems

At: **kabelschlepp.de**

TSUBAKI KABELSCHLEPP GmbH

Daimlerstraße 2

D-57482 Wenden-Gerlingen

Fon: +49 (0)2762 4003-0

Fax: +49 (0)2762 4003-220

E-Mail: info@kabelschlepp.de

TSUBAKI KABELSCHLEPP

contacts & addresses:

