


Snow Blowers

AP-SBL3074, AP-SBL3084, AP-SBL3574, & AP-SBL3584



370-578PK **Parts Manual**

Kubota®



Read the Operator's Manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!

© Copyright 2026 Printed 08/26/2026

Cover photo may show optional equipment not supplied with standard unit.

Table Of Contents

Section 1: Introduction	2
<i>Using This Manual</i>	2
<i>Manual Replacement Information</i>	2
<i>Manual Revisions</i>	2
<i>Touch-up Paint</i>	2
<i>Hardware Legend</i>	3
<i>Replacement Hardware</i>	3
<i>Serial Numbers</i>	3
<i>Part Number Service Coding</i>	3
Section 2: Frame Components	4
<i>Auger</i>	4
<i>Blades</i>	6
<i>Chute</i>	8
<i>Fold Over Chute</i>	10
<i>Frame & Guards</i>	12
Section 3: Hydraulic Components	14
<i>Auger Drive & Priority Valve Components</i>	14
<i>Chute & Impeller Drive Components</i>	18
<i>Hydraulic Cylinder (810-125C) Monarch</i>	20
<i>Hydraulic Cylinder (850-042C) Red Lion</i>	22
<i>Hydraulic Motor (850-442C) Eaton</i>	24
<i>Hydraulic Motor (850-443C) Eaton</i>	26
<i>Hydraulic Motor (850-444C) Eaton</i>	28
<i>Hydraulic Motor (850-445C) Eaton</i>	30
<i>Hydraulic Motor (850-446C) Eaton</i>	32
<i>Hydraulic Motor (850-447C) Eaton</i>	34
<i>Hydraulic Valve (850-440C) Parker</i>	36
Section 4: Wiring Harness & Skid Shoe Options	38
<i>14 Pin Connect</i>	38
<i>Skid Shoe Bundle</i>	40
<i>Skid Shoe Bundle Rear/Wear</i>	42
Section 5: Decals & Paint	44
<i>Decal Placement</i>	44
<i>Kubota Touch-up Paints</i>	46

This Page Intentionally Left Blank

Using This Manual

This manual is divided into sections. The first section contains General Information. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts. A Parts Number Index is located at the back of the book.

The Kubota parts in this manual are specially designed for this machine and should be replaced with Kubota parts only.

The information in this manual is current at time of printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the type of information contained on these pages.


Manual Replacement Information

Replacement manuals are available. Refer to our website at www.landpride.com or e-mail us at lit@landpride.com for additional information. Our website continues to provide the most up-to-date manuals available.

Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol cans and touch-up bottles with brush applicator are available through your local dealer. Also available are quart and gallon size paints. Add QT or GL to end of the Aerosol P/N.

Kubota color descriptions and part numbers are listed on the "Kubota Touch-Up Paints" page in the "Decals" section of this book.



All rights Reserved

Kubota provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Kubota assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Kubota reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future. The illustrations in this manual are not intended for safe and proper assembly or disassembly of equipment. The illustrations are intended for ordering parts only.

Kubota is a registered trademark.

All other brands and product names are trademarks or registered trademarks of their respective holders.

Printed in the United States of America.

General Information

Hardware Legend

AR	As Required
BLADE	Blade Bolt
C	Cap Screw
CP	Cotter Pin
CPHSSS	Cup Point Hex Socket Set Screw
CPSHSS	Cup Point Square Head Set Screw
CPSQHSS	Cup Point Square Head Set Screw
CRFCHMS3	Cross Recess Flat Countersunk Head Machine Screw
CRPHMS	Cross Recess Pan Head Machine Screw
CRPHTFS	Cross Recess Pan Head Thread Forming
CRRHMS	Cross Recess Round Head Machine Screw
CRTHMS	Cross Recess Truss Head Machine Screw
CSNB	Countersunk Square Neck Bolt
FHMS	Flat Head Machine Screw
FTC	Full Thread Cap Screw
H	Hex Nut
HCLN	Hex Center Lock Nut
HFLCS	Hex Flange Lock Cap Screw
HFS	Hex Flange Screw
HFSLN	Hex Flange Serrated Lock Nut
HFSS	Hex Flange Serrated Screw
HHCS	Hex Head Cap Screw or Metric Bolt
HSBHCS	Hex Socket Button Head Cap Screw
HSFCHCS	Hex Socket Flat Countersunk Head Cap Screw
HSHCS	Hex Socket Head Cap Screw
HSSS	Hex Socket Head Screw
HTLN	Hex Top Lock Nut
HWHCS	Hex Washer Head Cap Screw

HWHMS	Hex Washer Head Machine Screw
HXBHCS	Hex Socket Button Head Cap Screw
J	Hex Jam Nut
JIC	37 Degree Tapered Thread
L	Helical Spring Lock Washer
LUG	Lug Bolt
NFC	National Fine Cap Screw
NPSM	National Pipe Straight Mechanical
NPTF	National Pipe Taper Fuel
P	Wide Plain Washer
PHMS	Pan Head Machine Screw
PLow	Plow Bolt
RHMS	Round Head Machine Screw
RHSNB	Round Head Square Neck Bolt
SCREW LEVELING	Leveling Screw
SCREW THUMB	Thumb Screw
SCREW WELD	Weld Screw
SFCHMS	Slotted Flat Countersunk Head Machine Screw
SFHMS	Slotted Fillister Head Machine Screw
SP	Special
SP SCREW	Special Screw
SQHSS	Square Head Set Screw
SRHMS	Slotted Round Head Machine Screw
SSS	Socket Set Screw
STCS	Self Tapping Cap Screw
STHMS	Slotted Truss Head Machine Screw
WHEEL	Wheel Studs and Hub Long Bolts
WING	Wing Bolt

Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts list. All bolts and nuts are Grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

Part Number Service Coding


Within the parts list some part numbers are coded for revisions and interchangeability. See notations in revision column.

Serial Numbers

Always use the serial and model number when ordering parts. Refer to the Operator's Manual for serial number plate location.

(S/N 20001K+)	Includes serial numbers 20001K and above (to the latest number)
(S/N 10001K to 20000K)	Includes serial numbers between and including 10001K and 20000K
(S/N 10000K-)	Includes serial numbers 10000K and below (to the earliest number)


Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78476	Image No.	
1	370-725H	SNOW AUGER, 16X74	Used on SBL3074 & SBL3574
1	370-724H	SNOW AUGER, 16X84	Used on SBL3084 & SBL3584
2	370-728H	AUGER EXTENTION	Only on SBL30 Series
3	802-034C	HHCS 1/2-13X1 1/4 GR5	Only on SBL30 Series
4	802-091C	HHCS 1/2-13X1 1/2 GR5	
5	803-169C	NUT HEX FLG LOCK 1/2-13 PLT	
6	804-015C	WASHER LOCK SPRING 1/2 PLT	Only on SBL30 Series
7	822-243C	BRG 4 BOLT CAMLOCK 1.25 BORE	


Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78489	Image No.	
1	370-815A	BLADE BUNDLE, 74" STEEL	For SBL3074 & SBL3574
1	370-816A	BLADE BUNDLE, 74" POLY	For SBL3074 & SBL3574
1	370-817A	BLADE BUNDLE, 84" STEEL	For SBL3084 & SBL3584
1	370-818A	BLADE BUNDLE, 84" POLY	For SBL3084 & SBL3584
2	802-354C	PLOW 1/2-13X1 1/2 GR5	
3	803-037C	NUT HEX WHIZ 1/2-13 PLT GR5	(For Poly Blade)
3	803-169C	NUT HEX FLG LOCK 1/2-13 PLT	(For Steel Blade)
4	837-403C	POLY BLADE EDGE 74"	8 Bolt Holes
4	891-975C	BLADE EDGE 74"	8 Bolt Holes
4	837-402C	POLY BLADE EDGE 84"	9 Bolt Holes
4	891-958C	BLADE EDGE 84"	9 Bolt Holes


Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78484 370-572A	Image No. CHUTE *	
1	370-142D	TILT PIVOT PIN 15 SERIES	
2	370-733H	CHUTE WELD 30/35 SERIES	
3	370-734H	SPOUT WELD 30/35 SERIES	
4	371-006D	FRONT CHUTE GUARD	
5	800-112C	CABLE TIE .19X7.25 1.75D 50LB	
6	802-014C	HHCS 3/8-16X3/4 GR5	
7	802-092C	RHSNB 5/16-18X3/4 GR5	
8	803-013C	NUT LOCK 3/8-16 PLT	
9	803-177C	NUT HEX FLG TP LK 5/16-18ZNYCR	
10	805-363C	PIN COTTER 1/8 X 1	
11	810-125C	CYL 2X4X1.12 ROD DBL ACTING	
12	816-874C	GROMMET 2ID X 3OD X .25GW	
13	818-132C	DECAL DANGER THROWN OBJECT HAZ	
14	848-840C	DECAL DANGER ROTATING IMPELLER	
15	861-763C	AD 9/16MORB 11/16MORFS	
16	871-186C	HH3/8 81 -6ORFS-6ORFS90	
17	871-187C	HH3/8 73 -6ORFS-6ORFS90	

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Fold Over Chute

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78486	Image No.	
	370-573A	CHUTE FOLD OVER	
		*	
1	370-142D	TILT PIVOT PIN 15 SERIES	
2	370-553H	PIVOT	
3	370-554H	CENTER ARM	
4	370-555H	OUTER ARM	
5	370-561H	SPOUT 1 SBL35	
6	370-562H	SPOUT 2 SBL35	
7	370-563H	SPOUT 3 SBL35	
8	370-564H	CHUTE SBL35	
9	370-871D	CONNECTOR	
10	371-006D	FRONT CHUTE GUARD	
11	800-112C	CABLE TIE .19X7.25 1.75D 50LB	
12	802-014C	HHCS 3/8-16X3/4 GR5	
13	802-092C	RHSNB 5/16-18X3/4 GR5	
14	803-013C	NUT LOCK 3/8-16 PLT	
15	803-177C	NUT HEX FLG TP LK 5/16-18ZNYCR	
16	804-025C	WASHER FLAT 3/4 SAE PLT	
17	805-363C	PIN COTTER 1/8 X 1	
18	816-874C	GROMMET 2ID X 3OD X .25GW	
19	818-132C	DECAL DANGER THROWN OBJECT HAZ	
20	848-840C	DECAL DANGER ROTATING IMPELLER	
21	850-042C	CYL 2X6X1.125 ROD (TIE ROD)	
22	861-577C	AD 3/4MORB 11/16ORFS	
23	861-852C	HH1/4 70.50 -6ORFS-6ORFS90	
24	861-853C	HH1/4 60.50 -6ORFS-6ORFS90	

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Frame & Guards

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78468	Image No.	
1	370-693H	FRAME WELD SBL3074	
1	370-691H	FRAME WELD SBL3084	
1	370-583H	FRAME WELD SBL3574	
1	370-558H	FRAME WELD SBL3584	
2	370-591H	MOTOR MOUNT SBL30	
2	370-597H	MOTOR MOUNT SBL35	
3	370-728D	ROTATION STOP	
4	371-023D	IMPELLER PARTIAL CAP	
5	371-097D	BEARING STRAP	
6	371-107D	COVER	
7	371-108D	WING 2"	
8	802-004C	HHCS 1/4-20X3/4 GR5	
9	802-007C	HHCS 5/16-18X3/4 GR5	
10	802-022C	HHCS 3/8-16X1 1/2 GR5	
11	802-034C	HHCS 1/2-13X1 1/4 GR5	
12	802-224C	HHCS 1/4-20X1 1/4 GR5	
13	802-258C	HHCS 1/2-13X1 GR5	
14	802-431C	HFSS 5/16-18X1 GR5 PLT	
15	803-043C	NUT HEX WHIZ 5/16-18 PLT	
16	803-169C	NUT HEX FLG LOCK 1/2-13 PLT	
17	803-177C	NUT HEX FLG TP LK 5/16-18ZNYCR	
18	803-209C	NUT FLANGE LOCK 3/8-16 PLT	
19	803-255C	NUT HEX NYLOCK 1/4-20	
20	803-293C	NUT HEX FLG TL 1/4-20 ZNYCR	
21	804-007C	WASHER FLAT 1/4 SAE PLT	
22	804-010C	WASHER FLAT 5/16 USS PLT	
23	804-012C	WASHER FLAT 3/8 SAE PLT	
24	804-239C	WASHER MACH .379IDX.75ODX.015	
25	816-504C	MANUAL STORAGE CONTAINER	
26	817-871C	CHUTE BEARING UHMW 10"	
27	836-134C	GROMMET 7/8 X 5/16	
28	822-253C	BRG, .393 ID X 1.181 OD X .354	
29	326-095S	MANUAL CONTAINER KIT, 1 1/4	

Auger Drive & Priority Valve Components

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



Auger Drive & Priority Valve Components

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78492	Image No.	
1	331-451D	HOSE WRAP, 1FT	
2	802-024C	HHCS 3/8-16X3 GR5	
3	802-091C	HHCS 1/2-13X1 1/2 GR5	SBL30 Series
3	802-082C	HHCS 1/2-13X1 3/4 GR5 FTHD	SBL35 Series
4	804-013C	WASHER LOCK SPRING 3/8 PLT	
5	804-015C	WASHER LOCK SPRING 1/2 PLT	
6	804-016C	WASHER FLAT 1/2 SAE PLT	SBL35 Series Only
7	804-062C	WASHER MACH 1.88 X 1.25 X 10GA	
8	805-620C	PIN COTTER 5/32 X 2 1/2 ROHS	
9	810-212C	3250 PRESSURE RELIEF VALVE	
10	811-570C	AD 1 5/16MORB 1 1/16FORB	
11	815-598C	HUB, HEX 3X1.62 TPRD BORE 1:8	SBL30 Series
11	815-597C	HUB, HEX 3X1.75 TPRD BORE 1:8	SBL35 Series
12	841-539C	CP 3/8 FEMALE QD 3/8FNPT	
13	841-957C	CP 1 5/16FORB FEMALE QD	
14	841-958C	CP 1 5/16FORB MALE QD	
15	850-440C	VALVE 2 PRIORITY 40 GPM	
16	850-444C	HYD MOTOR 19 CU/IN 1.06 WHEEL	SBL30 Series (17-23 GPM)
16	850-445C	HYD MOTOR 24 CU/IN 1.06 WHEEL	SBL30 Series (27-33 GPM)
16	850-447C	HYD MOTR 30 CU/IN 1.31 WHEEL	SBL35 Series
17	851-947C	CUP 1 1/16FORB MALE QUICK CPLR	
18	851-948C	CUP 1 1/16FORB FML QUICK CPLR	
19	861-571C	AD 1.06MORB 1.18ORFS	
20	861-578C	AD 3/8NPTF 11/16ORFS	
21	861-580C	AD 6MORFS 4MORB	
22	861-837C	BLKHD EL MORFS -12	
23	861-841C	AD 12MORB TO 12FORFS	
24	861-843C	CHECK INLINE 12 MORFS	
25	861-849C	TEE 6MORFS6MORFS6MORFS BULK	
26	861-571C	AD 1.06MORB 1.18ORFS	SBL30 Series
26	861-850C	AD 16MORB-12MORFS	SBL35 Series
27	861-856C	HH3/4 25.75 -12ORFS-12ORFS90	
28	861-857C	HH3/8 62.25 -6 ORFS	
29	861-863C	HH3/4 55.50 -12MORB-12ORFS	
30	861-864C	HH3/4 57 -12MORB-12ORFS	
31	861-871C	HH3/8 25.13 -6ORFS-6ORFS45	SBL3074 & SBL3574
31	861-846C	HH3/8 28.00 -6ORFS-6ORFS45	SBL3084 & SBL3584
32	861-879C	BLKHD FITTING, -12MORFS	
33	861-925C	EL 45 6MORB-6ORFS	
34	871-184C	TEE -12MORFS-12MORFS-12FORFS	
35	861-869C	HH3/4 15.50 -12ORFS	SBL3074 (17-23 GPM)
35	871-300C	HH3/4 16.00 -12 ORFS	SBL3074 (27-33 GPM)
35	871-304C	HH3/4 18.75 -12 ORFS	SBL3084 (17-23 GPM)
35	871-305C	HH3/4 19.00 -12 ORFS	SBL3084 (27-33 GPM)
35	871-301C	HH3/4 15.25 -12 ORFS	SBL3574
35	861-860C	HH3/4 18.50 -12 ORFS	SBL3584
36	861-870C	HH3/4 15 -12ORFS	SBL3074 (17-23 GPM)
36	871-302C	HH3/4 15.00 -12 ORFS	SBL3074 (27-33 GPM)
36	871-306C	HH3/4 17.38 -12 ORFS	SBL3084 (17-23 GPM)

Auger Drive & Priority Valve Components

This Page Intentionally Left Blank

Auger Drive & Priority Valve Components


Ref.	Part No.	Part Description	Comments
36	871-307C	HH3/4 17.75 -12 ORFS	SBL3084 (27-33 GPM)
36	871-303C	HH3/4 13.75 -12 ORFS	SBL3574
36	861-861C	HH3/4 17.00 -12 ORFS	SBL3584
37	328-113A	COUPLERS, LARGE FLAT FACE	High flow couplers
38	326-627A	COUPLERS, QUICK FLAT FACED	Standard flow couplers

Kubota

Chute & Impeller Drive Components

Section 3: Hydraulic Components

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Chute & Impeller Drive Components

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78490	Image No.	
1	370-392H	ROTATION GEAR	
2	370-559H	IMPELLER SBL30	SBL30 Series
2	370-589H	IMPELLER SBL35	SBL35 Series
3	370-699D	MOTOR MOUNT	
4	370-705D	GEAR GUARD	
5	370-943D	COVER	SBL30 Series Only
6	801-171C	SCREW PAN HD 10-24X3/8 TYPE F	
7	802-017C	HHCS 3/8-16X1 GR5	
8	802-082C	HHCS 1/2-13X1 3/4 GR5 FTHD	
9	802-301C	HHCS 1/4-20X1/2 GR5	SBL30 Series Only
10	802-741C	HHCS M6X1X16 GR8.8 PLT	
11	802-954C	HHCS M6X1X30 GR8.8	
12	803-209C	NUT FLANGE LOCK 3/8-16 PLT	
13	804-004C	WASHER INTERNAL STAR #10 PLT	
14	804-006C	WASHER LOCK SPRING 1/4 PLT	SBL30 Series Only
15	804-007C	WASHER FLAT 1/4 SAE PLT	
16	804-015C	WASHER LOCK SPRING 1/2 PLT	
17	804-016C	WASHER FLAT 1/2 SAE PLT	
18	804-046C	WASHER FLAT #10 SAE PLT	
19	804-226C	WASHER LOCK M6 PLT	
20	805-620C	PIN COTTER 5/32 X 2 1/2 ROHS	
21	850-442C	HYD MOTOR 6.7 CU/IN 1.06 WHEEL	SBL30 Series (17-23 GPM)
21	850-443C	HYD MOTOR 9.9 CU/IN 1.06 WHEEL	SBL30 Series (27-33 GPM)
21	850-446C	HYD MOTR 11.9 CU/IN 1.31 WHEEL	SBL35 Series
22	850-486C	HYD MOTOR CHUTE ROTATION	
23	861-571C	AD 1.06MORB 1.18ORFS	
24	861-580C	AD 6MORFS 4MORB	
25	861-763C	AD 9/16MORB 11/16MORFS	
26	861-571C	AD 1.06MORB 1.18ORFS	SBL30 Series
26	861-850C	AD 16MORB-12MORFS	SBL35 Series
27	861-854C	HH1/4 44.38 -6ORFS-6ORFS90	
28	861-855C	HH1/4 45 -6 ORFS-6ORFS90	
29	861-858C	HH3/8 26.00 -6ORFS-6ORFS45	
30	861-859C	HH3/4 23.83 -12ORFS	
31	861-862C	HH3/4 30.25 -12ORFS	

Hydraulic Cylinder (810-125C) Monarch

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Hydraulic Cylinder (810-125C) Monarch

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 13565	Drawing Image Number	
	810-125C	CYL 2X4X1.12 ROD DBL ACTING	Complete assembly
		*	
1	803-014C	NUT HEX 3/8-16 PLT	
2	130556	MON PISTON NUT	
3	186561	PLUG 9/16-18UNF MORB SOCKET HD	
4	N/A	NOT AVAILABLE	Only available In Seal Kit Item #17
5	N/A	NOT AVAILABLE	Only available In Seal Kit Item #17
6	N/A	NOT AVAILABLE	Only available In Seal Kit Item #17
7	N/A	NOT AVAILABLE	Only available In Seal Kit Item #17
8	N/A	NOT AVAILABLE	Only available In Seal Kit Item #17
9	N/A	NOT AVAILABLE	Only available In Seal Kit Item #17
10	258851	MON PISTON 2.00-.75-TSS-ISO-WR	
11	437208	LION ROD WLDMT 1 1/8X4 STROKE	
12	491604	LION CYL. TUBE 2 X 4	
13	492214	MON TIE ROD 3/8-04	
14	492669	MON CLEVS CAP 2.00-9/16ORB-1.0	
15	494382	MON ROD CAP2.0-1.12-9/16ORB-TS	
16	235005	MON PIN KIT 1.00C/W COTTER PIN	
17	810-883C	MON SEAL KIT 620271	

Kubota
Hydraulic Cylinder (850-042C) Red Lion

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584





Hydraulic Cylinder (850-042C) Red Lion

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 39204	Drawing Image Number	
	850-042C	CYL 2X6X1.125 ROD (TIE ROD)	Complete assembly
		*	
1	148202	MON SET SCREW	
1	148000	RPBY 148202	Obsolete
2	186562	LION PLUG 3/4-16UNF SOCKET HD	
3	N/A	NOT AVAILABLE	Only available in seal kit #18
4	N/A	NOT AVAILABLE	Only available in seal kit #18
5	N/A	NOT AVAILABLE	Only available in seal kit #18
6	N/A	NOT AVAILABLE	Only available in seal kit #18
7	N/A	NOT AVAILABLE	Only available in seal kit #18
8	N/A	NOT AVAILABLE	Only available in seal kit #18
9	235005	MON PIN KIT 1.00C/W COTTER PIN	
10	292506	MON TIE ROD 5/16-06-TX	
11	293008	MON CLEVIS CAP 2.00-3/4ORD-1.0	
12	293009	MON ROD CLEVIS 1.00-1.00 TX	
13	293010	MON PISTON 2.00 TX	
14	293016	MON ROD CAP 2.00-1.13-3/4 ORB	
15	497507	MON ROD CYL 1.12-06-1.00	
16	498506	MON TUBE CYL 2.00-06.00-TX	
17	803-008C	NUT HEX 5/16-18 PLT	
18	810-883C	MON SEAL KIT 620271	

Kubota
Hydraulic Motor (850-442C) Eaton

Applies to Models: AP-SBL3074, AP-SBL3084





Applies to Models: AP-SBL3074, AP-SBL3084

Ref.	Part No.	Part Description	Comments
	DWG 83947	Image No.	
	850-442C	HYD MOTOR 6.7 CU/IN 1.06 WHEEL	17 to 23 GPM - Complete assembly
		*	
1	61232-000	EATON SEAL KIT	

Hydraulic Motor (850-443C) Eaton

Applies to Models: AP-SBL3074, AP-SBL3084





Applies to Models: AP-SBL3074, AP-SBL3084

Ref.	Part No.	Part Description	Comments
	DWG 83948	Image No.	
	850-443C	HYD MOTOR 9.9 CU/IN 1.06 WHEEL	27 to 33 GPM - Complete assembly
		*	
1	61232-000	EATON SEAL KIT	

Kubota
Hydraulic Motor (850-444C) Eaton

Applies to Models: AP-SBL3074, AP-SBL3084





Applies to Models: AP-SBL3074, AP-SBL3084

Ref.	Part No.	Part Description	Comments
	DWG 83949	Image No.	
	850-444C	HYD MOTOR 19 CU/IN 1.06 WHEEL	17 to 23 GPM - Complete assembly
		*	
1	61232-000	EATON SEAL KIT	

Hydraulic Motor (850-445C) Eaton

Applies to Models: AP-SBL3074, AP-SBL3084





Hydraulic Motor (850-445C) Eaton

Applies to Models: AP-SBL3074, AP-SBL3084

Ref.	Part No.	Part Description	Comments
	DWG 83950	Image No.	
	850-445C	HYD MOTOR 24 CU/IN 1.06 WHEEL	27 to 33 GPM - Complete assembly
		*	
1	61232-000	EATON SEAL KIT	

Hydraulic Motor (850-446C) Eaton

Applies to Models: AP-SBL3574, AP-SBL3584




Applies to Models: AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 83951	Image No.	
	850-446C	HYD MOTR 11.9 CU/IN 1.31 WHEEL	Complete assembly
		*	
1	61285-000	EATON SEAL KIT	

Kubota
Hydraulic Motor (850-447C) Eaton

Applies to Models: AP-SBL3574, AP-SBL3584




Applies to Models: AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 83952	Image No.	
	850-447C	HYD MOTR 30 CU/IN 1.31 WHEEL	Complete assembly
		*	
1	61285-000	EATON SEAL KIT	

Hydraulic Valve (850-440C) Parker

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Hydraulic Valve (850-440C) Parker

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 83312	Drawing Image Number	
1	850-440C	VALVE 2 PRIORITY 40 GPM	Complete Assembly
2	DSL105C9	PARKER VALVE ASM C10-4 3P4W	
3	16SLC2-A-75	PARKER CART SPOOL TYPE LOGIC	
4	CVH081P	PARKER CHECK VALVE	
5	RDH082S50	PARKER RELIEF VALVE C08	
6	KSWA3N	PARKER SHUTTLE VALVE	
7	11441-.060	ORIFICE PLUG .060 5/16-24	
8	11441-.052	ORIFICE PLUG .052 5/16-24	
9	CAP012PME	COIL/0.625/SHI/LWP/12VDC	
10	SK10-4	SEAL KIT	
11	WRK-16-3S	SEAL KIT	
12	SK08-2	PARKER SEAL KIT CVH081P30N	
13	SK30523N-1	PARKER SEAL KIT	

14 Pin Connect

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



**NOTE: 2 Function Harness
Will Work For The Following:**

**Kubota 14 Pin
Bobcat 14 Pin
Gehl 14 Pin
Komatsu 14 Pin
Mustang 14 Pin
Takeuchi 14 Pin
Volvo 14 Pin**



**Will Also Work For
The Following By Reversing
The Red And Green Wires
At The Solenoid:**

**Case-Post 9/1/01 14 Pin
Case 400 Series 14 Pin
New Holand 14 Pin**

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG35289	Drawing Image Number	
1	370-336A	14 PIN CONNECT	
		*	
2	800-060C	CABLE TIE .19X14.25 3DIA 50LB	
3	823-417C	DEUTSCH HD30 14 PIN 2 FUNCTION	

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78496	Image No.	
	370-566A	SKID SHOE BUNDLE	
		*	
1	370-569H	SKID SHOE RH	
2	370-570H	SKID SHOE LH	
3	802-034C	HHCS 1/2-13X1 1/4 GR5	
4	803-169C	NUT HEX FLG LOCK 1/2-13 PLT	
5	858-108C	DECAL, AR400 STEEL	

Skid Shoe Bundle Rear/Wear


Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78497	Image No.	
	370-567A	SKID SHOE BUNDLE REAR/WEAR	
		*	
1	301-465H	AR400 TRIP BLADE SKID SHOE	
2	310-359D	GW SPACER 1/4	
3	332-029D	PROTECTOR LINCH PIN 1.31 HL	
4	370-568H	SKID SHOE MOUNT	
5	370-879D	WEAR PLATE	
6	802-082C	HHCS 1/2-13X1 3/4 GR5 FTHD	
7	802-091C	HHCS 1/2-13X1 1/2 GR5	
8	803-169C	NUT HEX FLG LOCK 1/2-13 PLT	
9	805-158C	PIN LINCH 5/16 X 2 11/32	

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584




Decal Placement

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78501	Image No.	
1	818-132C	DECAL DANGER THROWN OBJECT HAZ	
2	818-402C	DECAL GREASE 10 HRS RH	
3	818-634C	DECAL DANGER AD ROTATING AUGER	
4	818-831C	DECAL WARNING HIGH PRESSURE	
5	838-293C	DECAL WARNING READ MANUAL	
6	844-164C	DECAL SBL3584 WHITE	
6	844-165C	DECAL SBL3574 WHITE	
6	844-228C	DECAL SBL3084 WHITE	
6	844-229C	DECAL SBL3074 WHITE	
7	844-221C	DECAL, 10" KUBOTA BLOCK	
8	844-222C	DECAL, 15" KUBOTA BLOCK	SBL3074 & SBL3574
8	844-223C	DECAL, 22" KUBOTA BLOCK	SBL3084 & SBL3584
9	844-750C	DECAL 17-23GPM 4x5	
9	844-757C	DECAL 27-33GPM 4x5	
9	844-762C	DECAL 34-41GPM 4x5	
10	848-840C	DECAL DANGER ROTATING IMPELLER	
11	858-108C	DECAL, AR400 STEEL	

Kubota Touch-up Paints

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584



Kubota Touch-up Paints

Applies to Models: AP-SBL3074, AP-SBL3084, AP-SBL3574, AP-SBL3584

Ref.	Part No.	Part Description	Comments
	DWG 78516	Image No. *	
		Orange	
	821-066C	PAINT ORANGE SPRAY CAN	Orange / Kubota Red spray can
	821-066CTU	PAINT ORANGE TOUCH-UP .6OZ	Orange / Kubota Red touch-up bottle with brush
	821-066CQT	PAINT ORANGE QUART	Orange / Kubota Red quart can
	821-066CGL	PAINT ORANGE GALLON *	Orange / Kubota Red gallon Can
		Black	
	821-070C	PAINT GP GLOSS BLACK SPRAY CAN	Black spray can
	821-070CTU	PAINT GP GLOSS BLACK SPRAY CAN	Black touch-up bottle with brush
	821-070CQT	PAINT GP GLOSS BLACK SPRAY CAN	Black quart can
	821-070CGL	PAINT GP GLOSS BLACK GALLON *	Black gallon can
		Gray	
	821-085C	PAINT KBT DARK GRAY SPRAY CAN	Dark Gray spray can
	821-085CTU	PAINT KBT DARK GRAY TCH-UP 4OZ	Dark Gray touch-up bottle with brush

Part Number Index

Part Number	Page	Part Number	Page	Part Number	Page
11441-.052	37	370-724H	5	803-013C	9, 11
11441-.060	37	370-725H	5	803-014C	21
130556	21	370-728D	13	803-037C	7
148000	23	370-728H	5	803-043C	13
148202	23	370-733H	9	803-169C	5, 7, 13, 41, 43
16SLC2-A-75	37	370-734H	9	803-177C	9, 11, 13
186561	21	370-815A	7	803-209C	13, 19
186562	23	370-816A	7	803-255C	13
235005	21, 23	370-817A	7	803-293C	13
258851	21	370-818A	7	804-004C	19
292506	23	370-871D	11	804-006C	19
293008	23	370-879D	43	804-007C	13, 19
293009	23	370-943D	19	804-010C	13
293010	23	371-006D	9, 11	804-012C	13
293016	23	371-023D	13	804-013C	15
301-465H	43	371-097D	13	804-015C	5, 15, 19
310-359D	43	371-107D	13	804-016C	15, 19
326-095S	13	371-108D	13	804-025C	11
326-627A	17	437208	21	804-046C	19
328-113A	17	491604	21	804-062C	15
331-451D	15	492214	21	804-226C	19
332-029D	43	492669	21	804-239C	13
370-142D	9, 11	494382	21	805-158C	43
370-336A	39	497507	23	805-363C	9, 11
370-392H	19	498506	23	805-620C	15, 19
370-553H	11	61232-000	25, 27, 29, 31	810-125C	9, 21
370-554H	11	61285-000	33, 35	810-212C	15
370-555H	11	800-060C	39	810-883C	21, 23
370-558H	13	800-112C	9, 11	811-570C	15
370-559H	19	801-171C	19	815-597C	15
370-561H	11	802-004C	13	815-598C	15
370-562H	11	802-007C	13	816-504C	13
370-563H	11	802-014C	9, 11	816-874C	9, 11
370-564H	11	802-017C	19	817-871C	13
370-566A	41	802-022C	13	818-132C	9, 11, 45
370-567A	43	802-024C	15	818-402C	45
370-568H	43	802-034C	5, 13, 41	818-634C	45
370-569H	41	802-082C	15, 19, 43	818-831C	45
370-570H	41	802-091C	5, 15, 43	821-066C	47
370-572A	9	802-092C	9, 11	821-066CGL	47
370-573A	11	802-224C	13	821-066CQT	47
370-583H	13	802-258C	13	821-066CTU	47
370-589H	19	802-301C	19	821-070C	47
370-591H	13	802-354C	7	821-070CGL	47
370-597H	13	802-431C	13	821-070CQT	47
370-691H	13	802-741C	19	821-070CTU	47
370-693H	13	802-954C	19	821-085C	47
370-699D	19	803-008C	23	821-085CTU	47
370-705D	19				

Part Number	Page	Part Number	Page	Part Number	Page
822-243C	5	861-857C	15	DWG35289	39
822-253C	13	861-858C	19	KSWA3N	37
823-417C	39	861-859C	19	N/A	21, 23
836-134C	13	861-860C	15	RDH082S50	37
837-402C	7	861-861C	17	SK08-2	37
837-403C	7	861-862C	19	SK10-4	37
838-293C	45	861-863C	15	SK30523N-1	37
841-539C	15	861-864C	15	WRK-16-3S	37
841-957C	15	861-869C	15		
841-958C	15	861-870C	15		
844-164C	45	861-871C	15		
844-165C	45	861-879C	15		
844-221C	45	861-925C	15		
844-222C	45	871-184C	15		
844-223C	45	871-186C	9		
844-228C	45	871-187C	9		
844-229C	45	871-300C	15		
844-750C	45	871-301C	15		
844-757C	45	871-302C	15		
844-762C	45	871-303C	17		
848-840C	9, 11, 45	871-304C	15		
850-042C	11, 23	871-305C	15		
850-440C	15, 37	871-306C	15		
850-442C	19, 25	871-307C	17		
850-443C	19, 27	891-958C	7		
850-444C	15, 29	891-975C	7		
850-445C	15, 31	CAP012PME	37		
850-446C	19, 33	CVH081P	37		
850-447C	15, 35	DSL105C9	37		
850-486C	19	DWG 13565	21		
851-947C	15	DWG 39204	23		
851-948C	15	DWG 78468	13		
858-108C	41, 45	DWG 78476	5		
861-571C	15, 19	DWG 78484	9		
861-577C	11	DWG 78486	11		
861-578C	15	DWG 78489	7		
861-580C	15, 19	DWG 78490	19		
861-763C	9, 19	DWG 78492	15		
861-837C	15	DWG 78496	41		
861-841C	15	DWG 78497	43		
861-843C	15	DWG 78501	45		
861-846C	15	DWG 78516	47		
861-849C	15	DWG 83312	37		
861-850C	15, 19	DWG 83947	25		
861-852C	11	DWG 83948	27		
861-853C	11	DWG 83949	29		
861-854C	19	DWG 83950	31		
861-855C	19	DWG 83951	33		
861-856C	15	DWG 83952	35		

Kubota®

Kubota HP: <https://www.kubota.com/network/index.html>