






Signal Towers With One Layer

- Replaceable SMD LED module.
- 2 years warranty.
- **103-116 dB** volume.
- ABS housing.
- Polycarbonate lenses.
- Can be mounted on surface and wall.
- Does not affected by water, dust, heat and UV rays.
- Steady-Flashing-Strobing-Rotary and with Buzzer as working options.
- 50.000 hours LED life.
- **Sound and light can be controlled separately.**
- Voltage options :

12-24V AC/DC • 40-260V AC/DC

12V/DC • 24V/DC • 220V/AC



SNT-70L

- When the code "L" is added to the end of main code in your order, products are produced with "The wall holder".
- The price list, will not be changed if you add "The wall holder" to the request in your order.
- SNT-7024-FB1-L

SNT-70D

- When the code "D" is added to the end of main code in your order, products are produced with "Foldable Base".
- When you add "Foldable Base" to your request \$7 as additional value will be added to the price list.
- SNT-7024-FB1-D

SNT-....U

- Extension profile is not included in the price.
- You can choose the extension profile from Spare parts page.



Color codes are placed at the end of your order.




Signal towers with one layer are produced as a standard with red light.

For other colors, please specify the color code at the end of the main code in your order. (SNT-7022-F1-3)

Signal Towers With One Layer

CODE	WORK OPTION	POWER SUPPLY
SNT-7013-S1	Steady	12-24V AC/DC
SNT-7024-S1	Steady	24V/DC
SNT-7022-S1	Steady	40-260V AC/DC
SNT-7012-S1	Steady	220V/AC
SNT-7013-F1	Flashing - Steady	12-24V AC/DC
SNT-7024-F1	Flashing	24V/DC
SNT-7022-F1	Flashing - Steady	40-260V AC/DC
SNT-7012-F1	Flashing - Steady	220V/AC
SNT-7013-C1	Strobing	12-24V AC/DC
SNT-7024-C1	Strobing	24V/DC
SNT-7022-C1	Strobing	40-260V AC/DC
SNT-7012-C1	Strobing	220V/AC
SNT-7013-D1	Rotary	12-24V AC/DC
SNT-7024-D1	Rotary	24V/DC
SNT-7022-D1	Rotary	40-260V AC/DC
SNT-7012-D1	Rotary	220V/AC
SNT-7013-SB1	Steady - Buzzer	12-24V AC/DC
SNT-7024-SB1	Steady - Buzzer	24V/DC
SNT-7022-SB1	Steady - Buzzer	40-260V AC/DC
SNT-7012-SB1	Steady - Buzzer	220V/AC
SNT-7013-FB1	Flashing - Steady - Buzzer	12-24V AC/DC
SNT-7024-FB1	Flashing - Buzzer	24V/DC
SNT-7022-FB1	Flashing - Steady - Buzzer	40-260V AC/DC
SNT-7012-FB1	Flashing - Steady - Buzzer	220V/AC
SNT-7013-CB1	Strobing-Buzzer	12-24V AC/DC
SNT-7024-CB1	Strobing-Buzzer	24V/DC
SNT-7022-CB1	Strobing-Buzzer	40-260V AC/DC
SNT-7012-CB1	Strobing-Buzzer	220V/AC
SNT-7013-DB1	Rotary-Buzzer	12-24V AC/DC
SNT-7024-DB1	Rotary-Buzzer	24V/DC
SNT-7022-DB1	Rotary-Buzzer	40-260V AC/DC
SNT-7012-DB1	Rotary-Buzzer	220V/AC







Signal Towers With Two Layers

- Replaceable SMD LED module.
- 2 years warranty.
- **103-116 dB** volume.
- ABS housing.
- Polycarbonate lenses.
- Can be mounted on surface and wall.
- Does not affected by water, dust, heat and UV rays.
- Steady-Flashing-Strobing-Rotary and with Buzzer as working options.
- 50.000 hours LED life.
- **Sound and light can be controlled separately.**
- Voltage options :

12-24V AC/DC • 40-260V AC/DC

12V/DC • 24V/DC • 220V/AC



SNT-70D

- When the code "D" is added to the end of main code in your order, products are produced with "Foldable Base".
- When you add "Foldable Base" to your request \$7 as additional value will be added to the price list.
- SNT-7024-FB1-D



SNT-70L

- When the code "L" is added to the end of main code in your order, products are produced with "The wall holder".
- The price list, will not be changed if you add "The wall holder" to the request in your order.
- SNT-7024-FB1-L






Signal Towers With Two Layers

CODE	WORK OPTION	POWER SUPPLY	COLOR
SNT-7013-S2	Steady	12-24V AC/DC	Red-Green
SNT-7024-S2	Steady	24V/DC	Red-Green
SNT-7022-S2	Steady	40-260V AC/DC	Red-Green
SNT-7012-S2	Steady	220V/AC	Red-Green
SNT-7013-F2	Flashing - Steady	12-24V AC/DC	Red-Green
SNT-7024-F2	Flashing	24V/DC	Red-Green
SNT-7022-F2	Flashing - Steady	40-260V AC/DC	Red-Green
SNT-7012-F2	Flashing - Steady	220V/AC	Red-Green
SNT-7013-C2	Strobing	12-24V AC/DC	Red-Green
SNT-7024-C2	Strobing	24V/DC	Red-Green
SNT-7022-C2	Strobing	40-260V AC/DC	Red-Green
SNT-7012-C2	Strobing	220V/AC	Red-Green
SNT-7013-D2	Rotary	12-24V AC/DC	Red-Green
SNT-7024-D2	Rotary	24V/DC	Red-Green
SNT-7022-D2	Rotary	40-260V AC/DC	Red-Green
SNT-7012-D2	Rotary	220V/AC	Red-Green
SNT-7013-SB2	Steady - Buzzer	12-24V AC/DC	Red-Green
SNT-7024-SB2	Steady - Buzzer	24V/DC	Red-Green
SNT-7022-SB2	Steady - Buzzer	40-260V AC/DC	Red-Green
SNT-7012-SB2	Steady - Buzzer	220V/AC	Red-Green
SNT-7013-FB2	Flashing - Steady - Buzzer	12-24V AC/DC	Red-Green
SNT-7024-FB2	Flashing - Buzzer	24V/DC	Red-Green
SNT-7022-FB2	Flashing - Steady - Buzzer	40-260V AC/DC	Red-Green
SNT-7012-FB2	Flashing - Steady - Buzzer	220V/AC	Red-Green
SNT-7013-CB2	Strobing-Buzzer	12-24V AC/DC	Red-Green
SNT-7024-CB2	Strobing-Buzzer	24V/DC	Red-Green
SNT-7022-CB2	Strobing-Buzzer	40-260V AC/DC	Red-Green
SNT-7012-CB2	Strobing-Buzzer	220V/AC	Red-Green
SNT-7013-DB2	Rotary-Buzzer	12-24V AC/DC	Red-Green
SNT-7024-DB2	Rotary-Buzzer	24V/DC	Red-Green
SNT-7022-DB2	Rotary-Buzzer	40-260V AC/DC	Red-Green
SNT-7012-DB2	Rotary-Buzzer	220V/AC	Red-Green

NOTE: Please contact us for non-standard color options.







Signal Towers With Three Layers

- Replaceable SMD LED module.
- 2 years warranty.
- **103-116 dB** volume.
- ABS housing.
- Polycarbonate lenses.
- Can be mounted on surface and wall.
- Does not affected by water, dust, heat and UV rays.
- Steady-Flashing-Strobing-Rotary and with Buzzer as working options.
- 50.000 hours LED life.
- **Sound and light can be controlled separately.**
- Voltage options :

12-24V AC/DC • 40-260V AC/DC

12V/DC • 24V/DC • 220V/AC



SNT-70D

- When the code "D" is added to the end of main code in your order, products are produced with "Foldable Base".
- When you add "Foldable Base" to your request \$7 as additional value will be added to the price list.
- SNT-7024-FB1-D



SNT-70L

- When the code "L" is added to the end of main code in your order, products are produced with "The wall holder".
- The price list, will not be changed if you add "The wall holder" to the request in your order.
- SNT-7024-FB1-L






Signal Towers With Three Layers

CODE	WORK OPTION	POWER SUPPLY	COLOR
SNT-7013-S3	Steady	12-24V AC/DC	Red-Green-Yellow
SNT-7024-S3	Steady	24V/DC	Red-Green-Yellow
SNT-7022-S3	Steady	40-260V AC/DC	Red-Green-Yellow
SNT-7012-S3	Steady	220V/AC	Red-Green-Yellow
SNT-7013-F3	Flashing - Steady	12-24V AC/DC	Red-Green-Yellow
SNT-7024-F3	Flashing	24V/DC	Red-Green-Yellow
SNT-7022-F3	Flashing - Steady	40-260V AC/DC	Red-Green-Yellow
SNT-7012-F3	Flashing - Steady	220V/AC	Red-Green-Yellow
SNT-7013-C3	Strobing	12-24V AC/DC	Red-Green-Yellow
SNT-7024-C3	Strobing	24V/DC	Red-Green-Yellow
SNT-7022-C3	Strobing	40-260V AC/DC	Red-Green-Yellow
SNT-7012-C3	Strobing	220V/AC	Red-Green-Yellow
SNT-7013-D3	Rotary	12-24V AC/DC	Red-Green-Yellow
SNT-7024-D3	Rotary	24V/DC	Red-Green-Yellow
SNT-7022-D3	Rotary	40-260V AC/DC	Red-Green-Yellow
SNT-7012-D3	Rotary	220V/AC	Red-Green-Yellow
SNT-7013-SB3	Steady - Buzzer	12-24V AC/DC	Red-Green-Yellow
SNT-7024-SB3	Steady - Buzzer	24V/DC	Red-Green-Yellow
SNT-7022-SB3	Steady - Buzzer	40-260V AC/DC	Red-Green-Yellow
SNT-7012-SB3	Steady - Buzzer	220V/AC	Red-Green-Yellow
SNT-7013-FB3	Flashing - Steady - Buzzer	12-24V AC/DC	Red-Green-Yellow
SNT-7024-FB3	Flashing - Buzzer	24V/DC	Red-Green-Yellow
SNT-7022-FB3	Flashing - Steady - Buzzer	40-260V AC/DC	Red-Green-Yellow
SNT-7012-FB3	Flashing - Steady - Buzzer	220V/AC	Red-Green-Yellow
SNT-7013-CB3	Strobing-Buzzer	12-24V AC/DC	Red-Green-Yellow
SNT-7024-CB3	Strobing-Buzzer	24V/DC	Red-Green-Yellow
SNT-7022-CB3	Strobing-Buzzer	40-260V AC/DC	Red-Green-Yellow
SNT-7012-CB2	Strobing-Buzzer	220V/AC	Red-Green-Yellow
SNT-7013-DB3	Rotary-Buzzer	12-24V AC/DC	Red-Green-Yellow
SNT-7024-DB3	Rotary-Buzzer	24V/DC	Red-Green-Yellow
SNT-7022-DB3	Rotary-Buzzer	40-260V AC/DC	Red-Green-Yellow
SNT-7012-DB3	Rotary-Buzzer	220V/AC	Red-Green-Yellow

NOTE: Please contact us for non-standard color options.







Signal Towers With Four Layers

- Replaceable SMD LED module.
- 2 years warranty.
- **103-116 dB** volume.
- ABS housing.
- Polycarbonate lenses.
- Can be mounted on surface and wall.
- Does not affected by water, dust, heat and UV rays.
- Steady-Flashing-Strobing-Rotary and with Buzzer as working options.
- 50.000 hours LED life.
- **Sound and light can be controlled separately.**
- Voltage options :

12-24V AC/DC • 40-260V AC/DC

12V/DC • 24V/DC



SNT-70D

- When the code "D" is added to the end of main code in your order, products are produced with "Foldable Base".
- When you add "Foldable Base" to your request \$7 as additional value will be added to the price list.
- SNT-7024-FB1-D



SNT-70L

- When the code "L" is added to the end of main code in your order, products are produced with "The wall holder".
- The price list, will not be changed if you add "The wall holder" to the request in your order.
- SNT-7024-FB1-L






Signal Towers With Four Layers

CODE	WORK OPTION	POWER SUPPLY	COLOR
SNT-7013-S4	Steady	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-S4	Steady	24V/DC	Red-Green-Yellow-Blue
SNT-7022-S4	Steady	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-F4	Flashing - Steady	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-F4	Flashing	24V/DC	Red-Green-Yellow-Blue
SNT-7022-F4	Flashing - Steady	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-C4	Strobing	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-C4	Strobing	24V/DC	Red-Green-Yellow-Blue
SNT-7022-C4	Strobing	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-D4	Rotary	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-D4	Rotary	24V/DC	Red-Green-Yellow-Blue
SNT-7022-D4	Rotary	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-SB4	Steady - Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-SB4	Steady - Buzzer	24V/DC	Red-Green-Yellow-Blue
SNT-7022-SB4	Steady - Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-FB4	Flashing - Steady - Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-FB4	Flashing - Buzzer	24V/DC	Red-Green-Yellow-Blue
SNT-7022-FB4	Flashing - Steady - Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-CB4	Strobing-Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-CB4	Strobing-Buzzer	24V/DC	Red-Green-Yellow-Blue
SNT-7022-CB4	Strobing-Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue
SNT-7013-DB4	Rotary-Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue
SNT-7024-DB4	Rotary-Buzzer	24V/DC	Red-Green-Yellow-Blue
SNT-7022-DB4	Rotary-Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue


NOTE: Please contact us for non-standard color options.







Signal Towers With Five Layers

- Replaceable SMD LED module.
- 2 years warranty.
- **103-116 dB** volume.
- ABS housing.
- Polycarbonate lenses.
- Can be mounted on surface and wall.
- Does not affected by water, dust, heat and UV rays.
- Steady-Flashing-Strobing-Rotary and with Buzzer as working options.
- 50.000 hours LED life.
- **Sound and light can be controlled separately.**
- Voltage options :

12-24V AC/DC • 40-260V AC/DC



12V/DC • 24V/DC



SNT-70D

- When the code "D" is added to the end of main code in your order, products are produced with "Foldable Base".
- When you add "Foldable Base" to your request \$7 as additional value will be added to the price list.
- SNT-7024-FB1-D



SNT-70L

- When the code "L" is added to the end of main code in your order, products are produced with "The wall holder".
- The price list, will not be changed if you add "The wall holder" to the request in your order.
- SNT-7024-FB1-L

Signal Towers With Five Layers

CODE	WORK OPTION	POWER SUPPLY	COLOR
SNT-7013-S5	Steady	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-S5	Steady	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-S5	Steady	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-F5	Flashing - Steady	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-F5	Flashing	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-F5	Flashing - Steady	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-C5	Strobing	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-C5	Strobing	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-C5	Strobing	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-D5	Rotary	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-D5	Rotary	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-D5	Rotary	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-SB5	Steady - Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-SB5	Steady - Buzzer	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-SB5	Steady - Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-FB5	Flashing - Steady - Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-FB5	Flashing - Buzzer	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-FB5	Flashing - Steady - Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-CB5	Strobing-Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-CB5	Strobing-Buzzer	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-CB5	Strobing-Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue-White
SNT-7013-DB5	Rotary-Buzzer	12-24V AC/DC	Red-Green-Yellow-Blue-White
SNT-7024-DB5	Rotary-Buzzer	24V/DC	Red-Green-Yellow-Blue-White
SNT-7022-DB5	Rotary-Buzzer	40-260V AC/DC	Red-Green-Yellow-Blue-White