

KarryKrimp® 1 Crimping Press 82CE-061

Portable crimper for braided hoses

- Crimps
 - 1 and 2 steel wire or textile braided hoses size -4 up to size -20
- Easily portable for outside work
- Used for service with hand pump or airhydraulic and electrical pump



Primary Applications

Small workshops, repair shops, mobile service vehicles

Fittings Series

26, 46, 48

Restrictions

Not suitable for multispiral hoses, 2-piece fittings, stainless steel fittings and serial production of hose assemblies in size -12 and above.

Technical / Order Data

KarryKrimp 1 with hose assembly and 2 die rings, but without pump		Dimensions	H 720 x W 335 x D 330 mm
		Weight	29 kg
		Part Number	82C-061
KarryKrimp 1 with hose assembly, 2 die rings and <i>hand pump 82C-2HP</i>		Weight	33 kg
		Part Number	82CE-061
KarryKrimp 1 with hose assembly, 2 die rings and <i>air hydraulic pump 82CE-0AP</i>		Weight	34 kg
		Part Number	82CE-003
Die rings	silver	Part Number	82C-R01
	black	Part Number	82C-R02

Accessories see page **Ea-5**



Hand pump
82C-2HP



Air hydraulic pump
82CE-0AP



Hose assembly
82C-00L

KarryKrimp® 2

Crimping Press 85CE-061

Portable crimper for braided and multispiral hoses

- Crimps
 - 1 and 2 steel wire or textile braided hoses up to size -20
 - 3 steel wire braided hoses up to size -16
 - 4 layer multispiral hoses up to size -16
 - compact spiral hoses up to size -12
- Easily portable for outside work
- Used for service with hand pump, airhydraulic or electrical pump



Primary Applications

Small workshops, repair shops, mobile service vehicles.
Crimps both steel and stainless steel fittings.

Restrictions

Not suitable for 2-piece fittings.

Fittings Series

26, 46, 48, 70, 71, 73, 77, 78

Technical / Order Data

KarryKrimp 2 with hose assembly, quick coupling, 2 die rings but without pump	Dimensions	H 762 x W 356 x D 381 mm
	Weight	46 kg
	Part Number	85C-061
KarryKrimp 2 with hose assembly, quick coupling, 2 die rings and <i>hand pump 85CE-0HP</i>	Weight	58 kg
	Part Number	85CE-061
KarryKrimp 2 with hose assembly, quick coupling, 2 die rings and <i>turbo air pump 85C-0AP</i>	Weight	55 kg
	Part Number	85CE-003
Die rings	silver	Part Number 85C-R01
	black	Part Number 85C-R02

Accessories see page **Ea-5**



Hand pump
85CE-0HP



Turbo Air Pump
85C-0AP



Hose assembly
82C-00L

PHastkrimp® Crimping Press 89CE-061

Fast benchmounted crimper for braided and multispiral hoses

- Crimps
 - 1 and 2 steel wire or textile braided hoses up to size -20
 - 3 steel wire braided compact up to size -16
 - 4 layer multispiral hoses up to size -16
 - compact spiral hoses up to size -12
- Used for service with 400 V hydraulic power unit



Primary Applications

Small workshops and repair shops (for small series)
Crimps both steel and stainless steel fittings.

Restrictions

Not suitable for 2-piece fittings.

Fittings Series

26, 46, 48, 70, 71, 73, 77, 78

Technical / Order Data

PHastkrimp with two die rings, but without connector plug and oil		Electrical power	400 V / 2.2 kW / 4.2 A / 50 Hz
		Dimensions	H 1477 x W 866 x D 1298 mm
		Weight	249 kg
		Part Number	89CE-061
Die rings	silver	Part Number	85C-R01
	black	Part Number	85C-R02

Parkrimp® 2 Crimping Press 83CE-083U

Bench-mounted crimper for all Parkrimp *No-Skive* hose types from size -4 up to size -32, including 4 and 6 layer multispiral hoses

- Crimps
 - 1 and 2 steel wire or textile braided hoses up to size -32
 - 3 steel wire braided compact up to size -16
 - 4 and 6 layer multispiral hoses up to size -32
 - compact spiral hoses up to size -16
- Used for service with 400 V hydraulic power unit



Primary Applications

Workshops and repair shops (for small series)
Crimps both steel and stainless steel fittings.

Restrictions

Not suitable for 2-piece fittings.

Fittings Series

26, 46, 48, 70, 71, 73, 76, 77, 78, 79, S6

Technical / Order Data

Parkrimp 2 with power unit, bench-mounted, but without die sets, connector plug and oil

Electrical power	400 V / 4.4 kW / 8.9 A / 50 Hz	
Dimensions	H 1170 x W 530 x D 985 mm	
Weight	without packaging	370 kg
	with packaging	430 kg
Part Number	83CE-083U	
Adaptor bowl	Part Number	83C-0CB
Die ring	Part Number	83C-R02

Accessories for KarryKrimp® 1 and KarryKrimp® 2

For use with Karrykrimp 1 crimping press

Hand pump
82C-2HP



Working pressure	max. 70 MPa
Dimensions	L 530 x W 121 x H 178 mm
Weight	4.1 kg
Usable oil capacity	900 ccm
Lever force	42 kg
Part Number	82C-2HP

Air hydraulic pump
82CE-0AP



Working pressure	max. 70 MPa at 0.4 to 0.7 MPa
Dimensions	L 395 x W 148 x H 145 mm
Weight	5.5 kg
Usable oil capacity	590 ccm
Connection	air 1/4-18 NPTF thread
Part Number	82CE-0AP

For use with KarryKrimp 1 and KarryKrimp 2 crimping presses

Hand pump
85CE-0HP



Working pressure	max. 70 MPa
Dimensions	L 560 x W 147 x H 180 mm
Weight	10.9 kg
Usable oil capacity	2294 ccm
Lever force	47 kg
Part Number	85CE-0HP

Turbo air pump
85C-0AP



Working pressure	70 MPa
Dimensions	L 350 x W 170 x H 210 mm
Weight	8.2 kg
Usable oil capacity	2080 ccm
Connection	air 1/4-18 NPTF thread
Part Number	85C-0AP

Power pump
82CE-0EP



Working pressure	70 MPa with 3/2 hand valve
Dimensions	L 244 x W 244 x H 362 mm
Weight	10.0 kg
Usable oil capacity	1900 ccm
Connection	230 V / 50/60 Hz / 10 A
Part Number	82CE-0EP

Hose Assembly 82C-00L
Hose assembly to connect
pump to the press



Working pressure	max. 70 MPa
Length	1830 mm
Port size	3/8-18 NPT male coupling 3/8"
Part Number	82C-00L